

SAFETY DATA SHEET (SDS)

				tion 1. Iden	tification		
Product identifie	r	BIO-PROGARD beige	Sect	ion 1. Iuen			
Other means of i							
			DUCT TE	DEATMENIT	1		
	Recommended use and restrictions on useANTI-RUST TREATMENTInitial supplier identifierPROLAB TECHNOLUB INC. 4531 RUE INDUSTRIELLE, THETFORD MINES, (QUEBEC), G6H 2J1,						
miniai supplier i	uenuner	CANADA TEL. (418)				E, INEIFORD W	IINES, (QUEBEC), OOH 251,
Emorgoney tolor	hono nun	nber/restriction on use			224 hour number (13 006 6666	
Emergency telep	none nun	iber/restriction on use			identification	113-990-0000	
Classification of	horondon	a nucleust (nome of the e				laga)	
Skin irritation (Ca		is product (name of the c	alegory of	r subcategoi	ry of the nazard c	lass)	
Eye irritation (Ca							
) nbols, signal words, haza	ard statom	onts and nr	occutionary state	monte of the estage	my/subestagomy)
	lients (syl	noois, signai worus, naza	ii u statem	ients and pr	ccautional y state	ments of the catego	y/subcategory)
Warning							
H316 Causes mile							
H319 Causes seri			- 0100 11	/1 /		/ · · /C	
irritation occurs:	Get medic	al attention. P305 + P351 ·	+ P338 IF	IN EYES, R	inse cautiously wi	h water for several	protection. P332 + P313 If skin minutes. Remove contact lenses,
		ontinue rinsing. P337 + P3					alagad Kaan anal D501 Dianaga
							closed. Keep cool. P501 Dispose
Other hazards k		afe container in accordance None	e with loca	a, regional o	r national regulatio	JIIS.	
Other hazarus k	nown		Compo	aition /info	mation on inc	adianta	
	(s. Compo	SILION/INIO	rmation on ing		
		name/synonyms)				nber or other	Concentration (%)
Quaternary Amm	onium Co	mpound with Bentonite	~			11-25-1	5-10
					id measures		
Inhalation		ALED: Remove person to t					
Ingestion	ngestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses						
							er. Have victim drink two glasses
G1		. If vomiting occurs natura					
Skin contact		ritation occurs: Get medic					
Eye contact					ites (15-20). Remo	ve contact lenses, if	present and easy to do. Continue
		If eye irritation persists: G			.•		
		s and effects (acute or de		Eye irrita			
Indication of imi	Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.						
~ • • • •					ting measures		
•		zardous product (hazard		ustion prod	ucts)		
		itant/toxic gases and fume	s.				
Suitable and unsuitable extinguishing media							
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.							
Special protective equipment and precautions for fire-fighters							
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper							
	protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans.						
Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.							
.	Section 6. Accidental release measures						
Personal precautions, protective equipment and emergency procedures							
Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should							
	wear the appropriate protective equipment (See Section 8).						
Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then							
			ection 13).	Contaminate	ed absorbent mater	al may pose the sar	ne hazards as the spilled product.
Notity the energy	mate autho	rities as required					
Notify the appropriate the second sec	nate autilo	intes as required.					



Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits None

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties					
Appearance, physical state/colour beige semi-liquid		pressure Not available	Not available		
Odour Not available	Vapour de	density Not available			
Odour threshold Not available	Relative d	Relative density 0.9-1.0			
pH Not available	Solubility	Solubility Not available			
Melting/freezing point Not available	Partition	n coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignit	Auto-ignition temperature Not available			
Flash point $\sim 210 ^{\circ}\text{C}$		Decomposition temperature Not available			
Evaporation rate Not available	Viscosity	Viscosity >1000 cSt @ 40°C			
Flammability (solids and gases) Not available	VOC N	VOC Not available			
Upper and lower flammability/explosive limits No	ot available Other N	Other None known			
Section 10. Stability and reactivity					
Reactivity					
Does not react under the recommended storage and hand	ling conditions prescribed.				
Chemical stability					
Stable under the recommended storage and handling conditions prescribed.					
Possibility of hazardous reactions					
None known.					
Conditions to avoid (static discharge, shock or vibration)					
None known.					
Incompatible materials					
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					



	Section 11. Toxicological information						
Information on the likely routes of exposure (in							
Causes mild skin irritation. Causes serious eye irr							
Symptoms related to the physical, chemical and toxicological characteristics							
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing.							
Delayed and immediate effects (chronic effects							
Skin Sensitization – No data available:							
Respiratory Sensitization – No data available;							
Germ Cell Mutagenicity – No data available;							
Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA;							
Reproductive Toxicity – No data available;							
Specific Target Organ Toxicity — Single Exposu	re – No data available:						
Specific Target Organ Toxicity — Repeated Expo							
Aspiration Hazard – No data available;	······,						
Health Hazards Not Otherwise Classified – No da	ta available:						
Numerical measures of toxicity (ATE; LD50 &							
None							
ATE not available in this document.							
	Section 12. Ecological information						
Ecotoxicity (aquatic and terrestrial informatio							
No data available for the product.	~						
Persistence and degradability No data av	ailable						
Bioaccumulative potential No data availabl							
Mobility in soil No data available							
Other adverse effects No data available							
	Section 13. Disposal considerations						
Information on safe handling for disposal/met							
	in accordance with local, regional or national regulations.						
Dispose of contents/container into sale container	Section 14. Transport information						
UN and an Drop on chinging names (log(a))							
UN number; Proper shipping name; Class(es);	Packing group (PG) of the TDG Regulations						
NOT REGULATED							
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)							
NOT REGULATED							
UN number; Proper shipping name; Class(es);	Packing group (PG) of the IATA (air)						
NOT REGULATED	·						
Special precautions (transport/conveyance) None							
Environmental hazards (IMDG or other) None							
Bulk transport (usually more than 450 L in capacity) Possible							
	Section 15. Regulatory information						
Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).						
Environmental Canadian regulations specifics							
Safety/health/environmental outside regulation							
United States OSHA information: This product is							
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.							
United States TCSA information: Refer to the ingredients listed in Section 3.							
National Fire Protection Association (NFPA):							
HEALTH: 1 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.							
HAZARD SCALE: $0 = Minimal$ $1 = Slight$ $2 = Moderate$ $3 = Serious$ $4 = Severe$							
California Proposition 65: This product may contain traces of a material known to the State of California to cause cancer or other reproductive harm							

California Proposition 65: This product may contain traces of a material known to the State of California to cause cancer or other reproductive harm.



Abbreviations Active Structure Struc	Section 16. Other information			
ACGIH American Conference of Governmental Industrial Hygienists ATE Acute toxicity estimate CAS Chemical Abstract Service DSL Domestic Substance List IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods Code LC Lethal concentration LD Lethal Dosage NIOSH National Institute for Occupational Safety and Health NTP National Toxicology Program (U.S.A.) OSHA Occupational Safety and Health Administration (U.S.A.) PEL Permissible Exposure Limit STEL Short-term Exposure Limit TDG Transport of dangerous goods in Canada TLV Threshold Limit Value TSCA Toxic Substances Control Act TWA Time Weighted Average WHMIS Workplace Hazardous Materials Information System The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
ATEAcute toxicity estimateCASChemical Abstract ServiceDSLDomestic Substance ListIARCInternational Agency for Research on CancerIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous Goods CodeLCLethal concentrationLDLethal DosageNIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	Abbreviations			
CASChemical Abstract ServiceDSLDomestic Substance ListIARCInternational Agency for Research on CancerIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous Goods CodeLCLethal concentrationLDLethal DosageNIOSHNational Institute for Occupational Safety and HealthNTPNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	ACGIH	American Conference of Governmental Industrial Hygienists		
DSLDomestic Substance ListIARCInternational Agency for Research on CancerIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous Goods CodeLCLethal concentrationLDLethal DosageNIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	ATE	Acute toxicity estimate		
IARCInternational Agency for Research on CancerIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous Goods CodeLCLethal concentrationLDLethal DosageNIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	CAS	Chemical Abstract Service		
IATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous Goods CodeLCLethal concentrationLDLethal DosageNIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	DSL	Domestic Substance List		
IMDGInternational Maritime Dangerous Goods CodeLCLethal concentrationLDLethal DosageNIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	IARC	International Agency for Research on Cancer		
LCLethal concentrationLDLethal DosageNIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	IATA	International Air Transport Association		
LDLethal DosageNIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	IMDG	International Maritime Dangerous Goods Code		
NIOSHNational Institute for Occupational Safety and HealthNTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	LC	Lethal concentration		
NTPNational Toxicology Program (U.S.A.)OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	LD	Lethal Dosage		
OSHAOccupational Safety and Health Administration (U.S.A.)PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	NIOSH	National Institute for Occupational Safety and Health		
PELPermissible Exposure LimitSTELShort-term Exposure LimitTDGTransport of dangerous goods in CanadaTLVThreshold Limit ValueTSCAToxic Substances Control ActTWATime Weighted AverageWHMISWorkplace Hazardous Materials Information SystemThe information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	NTP	National Toxicology Program (U.S.A.)		
STEL Short-term Exposure Limit TDG Transport of dangerous goods in Canada TLV Threshold Limit Value TSCA Toxic Substances Control Act TWA Time Weighted Average WHMIS Workplace Hazardous Materials Information System The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	OSHA	Occupational Safety and Health Administration (U.S.A.)		
TDG Transport of dangerous goods in Canada TLV Threshold Limit Value TSCA Toxic Substances Control Act TWA Time Weighted Average WHMIS Workplace Hazardous Materials Information System The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	PEL	Permissible Exposure Limit		
TLV Threshold Limit Value TSCA Toxic Substances Control Act TWA Time Weighted Average WHMIS Workplace Hazardous Materials Information System The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	STEL	Short-term Exposure Limit		
TSCA Toxic Substances Control Act TWA Time Weighted Average WHMIS Workplace Hazardous Materials Information System The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	TDG	Transport of dangerous goods in Canada		
TWA Time Weighted Average WHMIS Workplace Hazardous Materials Information System The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s	TLV	Threshold Limit Value		
WHMIS Workplace Hazardous Materials Information System The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	TSCA	Toxic Substances Control Act		
The information presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's	TWA	Time Weighted Average		
	WHMIS	Workplace Hazardous Materials Information System		
traviadas Drot in mountor un Ivo. Malcas no mamontu matemar expresses or implied of marchantability or fitness for the particular numeroe	The information	presented herein has been compiled from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC.'s		
knowledge. FROLAB LECHNOLUB INC. Makes no warranty whatever expresses of implied of merchantability of fitness for the particular purpose.	knowledge. PRO	knowledge. PROLAB TECHNOLUB INC. Makes no warranty whatever expresses or implied of merchantability or fitness for the particular purpose.		
The information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any				

knowledge. **PROLAB TECHNOLUB INC.** Makes no warranty whatever expresses or implied of merchantability or fitness for the particular purpose. The information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Customers are encouraged to conduct their own tests. Before using the product, read its label. **PROLAB TECHNOLUB INC.** Assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.